



# Public Health Engineering Department

Government of West Bengal

## Tender: NIT. No.- 04/EMSD-III

### 1. General Information

Type	NIT	Category	Works	Mode	OFFLINE	Method	Open Tender
District	NADIA	Inviting Authority		Assistant Engineer			
Tender Id	NIT. No.- 04/EMSD-III			Memo No	685/EMSD-III	Memo Date	24-12-2019
Description	Different Works						
Estimated Work Value	7,53,939.00						

### 2. EMD (Earnest Money Deposit) Details

Exempted?	No	Fee Type	Demand Draft	Payable To	The Executive Engineer, EMD, P.H.E.Dte.	Payable At	Kolkata
-----------	----	----------	--------------	------------	---	------------	---------

### 3. Critical Dates

Tender Publish Date	25-12-2019 12:00 AM	Sale/Submission Start Date	
Download Start Date		Sale/Download End Date	16-01-2020 03:00 PM
Last Date of Application	14-01-2020 03:00 PM	Last Date of Permission	14-01-2020 04:00 PM
Last Date of Submission	16-01-2020 03:00 PM	Tech Bid Opening Date	
Fin Bid Opening Date	16-01-2020 03:30 PM	Tech Bid Uploading Date Time	
Uploading Bid Date Time			

### 4. Pre-bid Meeting Details

Date	Venue	Address
------	-------	---------

### 5. Work Details

Sl No	Description	Estimated Cost (Rs.)	Completion Time	EMD (Rs.)
1	Refilling of empty Chlorine cylinder for disinfection arrangement at surface water based W/S scheme Northern Sector Part-III (Belpukur) Dist- Nadia under EMSD-III, PHE Dte.	4,09,199.00	15 days	8,184.00
2	Repairing of Voltage stabilizer at Pump House No. - I (Zone - I) under Bagakhali water supply scheme, Dist. Nadia.	1,20,491.00	15 days	2,410.00
3	Repairing of Voltage stabilizer at Pump House No. - II under Joyghata water supply scheme, Dist. Nadia.	1,03,712.00	15 days	2,074.00
4	Renewing of electrical installation of the Rest House at Debagram Sub-Division PHE Office campus, Nadia.	1,20,537.00	15 days	2,411.00

---

**6. Attachments**

Sl No	File Name
1	WBF-2911.pdf
2	Repairing_VS_Joyghata.pdf
3	Repairing_VS_Baghakhali.pdf
4	Renewing_EL_Debagram SD.pdf
5	Refilling_Chlorinator_Belpukur.pdf
6	NIT No.- 04 of EMSD-III.pdf