



GOVERNMENT OF WEST BENGAL  
Public Health Engineering Directorate  
N.S. Buildings, (7th Floor), 1, K.S. Roy Road, Kolkata-700001  
[Tel No. 033-2248-5281, Fax No. 0332210-3993, E-mail: ce\_hq@wbphed.gov.in]


Memo No: 8053 /WORKS/YAAS/000014/2021

Dated: 22/05/2021

## CIRCULAR

The impending cyclonic storm 'YAAS' which is likely to hit the **coastal districts of West Bengal** on **26/05/2021**, may cause wide spread disruption of rural drinking water supply. The following measures should be taken, inter alia, to deal with any eventuality caused by the cyclonic storm.

1. All **Mobile Treatment Units (MTUs)**, along with its accessories, should be deployed in strategic locations in consultation with the District Magistrates, which will be required for uninterrupted production of drinking water pouches and distribution to the affected areas. The drinking water pouch production units stationed at **Haringhata** and **Dakshin Raipur** should also be well equipped to meet up the demand.
  2. All Bottling Plants should be equipped for large scale production of '**Prandhara**' bottles.
  3. DG sets should be mobilized to energize the Piped Water Supply Schemes where accessibility will be constrained owing to disruptions.
  4. All over head and ground lever storage reservoirs of Piped Water Supply Schemes should be filled up beforehand to ensure sufficient storage of drinking water.
  5. Sufficient stock of disinfectants should be kept ready for chlorination or super chlorination of water supply systems, post cyclonic storm.
  6. Control room should be opened in each district as well as at the Headquarters and it should be manned round the clock, till normalcy is restored.
  7. All concerned officers should keep close co-ordination with the district authority and Directorate.
- This has the approval of Additional Chief Secretary, PHE Department.


  
**Chief Engineer (Head Quarter)**  
PHE Dte., Govt. of West Bengal

Memo No: 8053 / (1-20)/WORKS/YAAS/000014/2021

Dated: 22/05/2021

Copy forwarded for information to the:

1. The Project Director, PMU, WBPWSP (Purulia)/ Chief Engineer, Planning & WQM/ PMU, WBDWSIP/ Northern Zone (Civil)/ Western Zone/ M/E-Southern Zone/ M/E-Northern Zone, PHE Dte., Govt. of West Bengal.
2. The Assistant Chief Engineer-I/ II/ III/ Northern Zone (Civil)/ Southern Zone (M/E)/ Northern Zone (M/E), PHE Dte., Govt. of West Bengal.
3. The Superintending Engineer (Water Quality), WSSO, PHED/ OSD (Monitoring Cell), PHE Dte., Govt. of West Bengal.
4. The Superintending Engineer (All Civil & M/E Circles), \_\_\_\_\_, PHE Dte., Govt. of West Bengal.
5. The Executive Engineer (All Civil & M/E Divisions), \_\_\_\_\_, PHE Dte., Govt. of West Bengal.
6. The Deputy Superintending Engineer-I/ II (Monitoring Cell)/ Head Quarter, PHE Dte., Govt. of West Bengal.


  
**Chief Engineer (Head Quarter)**  
PHE Dte., Govt. of West Bengal

**Memo No: 8053 / 21/ WORKS/YAAS/000014/2021**

**Dated: 22/05/2021**

Copy forwarded for information to the:

1. District Magistrate & Collector (All), \_\_\_\_\_, District.



**Chief Engineer (Head Quarter)**  
PHE Dte., Govt. of West Bengal

**Memo No: 8053 / (22-25)/ WORKS/YAAS/000014/2021**

**Dated: 22/05/2021**

Copy forwarded for information to the:

1. PS to Hon'ble MIC, PHE Department Govt. of West Bengal.
2. Sr. PA to Additional Chief Secretary, PHE Department, Govt. of West Bengal.
3. PA to Principal Secretary, Disaster Management Department & Civil Defence, Govt. of West Bengal.
4. PA to Special Secretary, PHE Department, Govt. of West Bengal.



**Chief Engineer (Head Quarter)**  
PHE Dte., Govt. of West Bengal